### PATENT COOPERATION TREATY

TRANSLATION From the INTERNATIONAL SEARCHING AUTHORITY To: WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY (PCT Rule 43bis.1) Date of mailing (day/month/year) Applicant's or agent's file reference FOR FURTHER ACTION DK-W0040209P See paragraph 2 below International application No. International filing date (day/month/year) Priority date (day/month/year) PCT/JP2005/006915 08.04.2005 08.04.2004 International Patent Classification (IPC) or both national classification and IPC Applicant DAIKIN INDUSTRIES, LTD. This opinion contains indications relating to the following items: Box No. I Basis of the opinion Box No. II Non-establishment of opinion with regard to novelty, inventive step and industrial applicability Box No. III Lack of unity of invention Box No. IV Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial Box No. V applicability; citations and explanations supporting such statement Box No. VI Certain documents cited Box No. VII Certain defects in the international application Box No. VIII Certain observations on the international application 2. FURTHER ACTION If a demand for international preliminary examination is made, this opinion will be considered to be a written opinion of the International Preliminary Examining Authority ("IPEA") except that this does not apply where the applicant chooses an Authority other than this one to be the IPEA and the chosen IPEA has notified the International Bureau under Rule 66.1bis(b) that written opinions of this International Searching Authority will not be so considered. If this opinion is, as provided above, considered to be a written opinion of the IPEA, the applicant is invited to submit to the IPEA a written reply together, where appropriate, with amendments, before the expiration of 3 months from the date of mailing of Form PCI/ISA/220 or before the expiration of 22 months from the priority date, whichever expires later. For further options, see Form PCT/ISA/220. For further details, see notes to Form PCT/ISA/220. Authorized officer Name and mailing address of the ISA/JP

Telephone No.

Facsimile No.

International application No.
PCT/JP2005/006915

| Box | No. I | Basis of this opinion  |
|-----|-------|--|
| 1.  |       | regard to the language, this opinion has been established on the basis of the international application in the language in which it was unless otherwise indicated under this item.  |
|     |       | This opinion has been established on the basis of a translation from the original language into the following language   |
|     | _     | , which is the language of a translation furnished for the purposes of international search (under   |
|     |       | Rule 12.3 and 23.1(b)).  |
| 2.  |       | regard to any nucleotide and/or amino acid sequence disclosed in the international application and necessary to the claimed tion, this opinion has been established on the basis of:   |
|     | a.    | type of material   |
|     |       | a sequence listing   |
|     | 1     | table(s) related to the sequence listing   |
|     | ь.    | format of material   |
|     |       | in written format  |
|     |       | in computer readable form  |
|     | c.    | time of filing/furnishing  |
|     | 1     | contained in the international application as filed.   |
|     | ì     | filed together with the international application in computer readable form.   |
|     | Ï     | furnished subsequently to this Authority for the purposes of search.   |
|     | '     |  |
| 3.  |       | In addition, in the case that more than one version or copy of a sequence listing and/or table(s) relating thereto has been filed or furnished, the required statements that the information in the subsequent or additional copies is identical to that in the application as filed or does not go beyond the application as filed, as appropriate, were furnished. |
| 4.  | Λddit | ional comments:  |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       | •  |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       | · ·  |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       |  |

International application No.
PCT/JP2005/006915

| 1. | Statement                     |        |            |       |
|----|-------------------------------|--------|------------|-------|
|    | Novelty (N)                   | Claims | 1-16       | YES   |
|    |                               | Claims |            | _ NO  |
|    | Inventive step (IS)           | Claims | 8-9        | _ YES |
|    |                               | Claims | 1-7, 10-16 | _ NO  |
|    | Industrial applicability (IA) | Claims | 1-16       | _ YES |
|    |                               | Claims |            | _ NO  |

#### 2. Citations and explanations:

Document 1: Microfilm of the specification and drawings annexed to the written request of Japanese Utility Model Application No. 62638/1990 (Laid-open No. 20923/1992) (Zexel Corporation), 21 February, 1992 (21.02.92), page 4, line 16 to page 11, line 19; Figs. 1-6 Document 2: JP, 4-22205, Y2 (Daikin Industries, Ltd.), 20 May, 1992 (20.05.92), column 3, line 40 to column 6, line 32, Figs. 1-4

### Claims 1-6 and 10-13

Documents 1 and 2

Document 1 describes an air conditioner comprising a main body (3) having an outlet port (7) through which air blown into a room passes, a suction port (6) which is at least a part of said main body in a closed state, and a panel (8) covering said outlet port.

Since providing a flap at the outlet port is previously a well-known technical means (see document 2), a person skilled in the art could have easily conceived of providing a flap at the outlet port in the invention described in cited document 1.

The configuration in which a front panel covers the flap is essentially obtained by applying the aforementioned well-known technique to the invention described in document 1.

#### Claim 7

#### Documents 1 and 2

Forming a predetermined angle between the surface provided with an outlet port and the surface provided with a suction port is merely a matter of design variation that could be accordingly done according to a desired blowing direction.

Forming a predetermined angle between a first panel portion and a second panel section covering the surfaces, respectively, is also a matter that is essentially done together with the aforementioned matter of design variation.

#### Claims 14-16

#### Documents 1 and 2

Document 1 describes an air conditioner comprising a main body (3) having an outlet port (7) through which air blown into a room passes, and a panel (8) covering said main body and said outlet port.

Since providing a flap at the outlet port is a previously well-known technical means (see document 2), a person skilled in the art could have easily conceived of providing a flap at the outlet port in the invention described in cited document 1.

The configuration in which a front panel covers the flap is a configuration which is essentially obtained by applying the aforementioned well-known technique to the invention described in document 1.

International application No.
PCT/JP2005/006915

| Box No. V  | Reasoned sta | tement under Rute 4 | 13bis.1(a)(i) with<br>rting such states | regard to novel<br>ment | ty, inventive step or | industrial applicab | ility; |  |
|--|--------------|---------------------|---|-------------------------|-----------------------|---------------------|--------|--|
| Since the flap covers the entire outlet port in a closed state and the front panel covers at least the outlet port and the entire flap in a closed state, it is considered that the flap covers at least the lower part of the outlet port in a closed state and the front panel covers at least the upper part of the outlet port and one end of the flap in a closed state.  The subject matters of claims 8 and 9 are neither described in any of the documents nor obvious to a person skilled in the art. |              |                     |   |                         |                       |                     |        |  |
|  |              |                     |   |                         |                       |                     |        |  |
|  |              |                     |   |                         |                       |                     |        |  |
|  |              |                     |   |                         |                       |                     |        |  |
|  |              |                     |   |                         |                       |                     |        |  |
|  |              |                     |   |                         | •                     |                     |        |  |
|  |              |                     |   |                         |                       |                     |        |  |
|  |              |                     |   |                         |                       |                     |        |  |
|  |              |                     |   |                         |                       |                     |        |  |
|  |              |                     |   |                         |                       |                     |        |  |
|  |              |                     |   |                         |                       |                     |        |  |
|  |              |                     |   |                         |                       |                     |        |  |

## PATENT COOPERATION TREATY

TRANSLATION INTERNATIONAL SEARCHING AUTHORITY Tu: WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY (PCT Rule 43bis.1) Date of mailing (day/month/year) Applicant's or agent's file reference FOR FURTHER ACTION DK-W0040209P See paragraph 2 below International application No. International filing date (day/month/year) Priority date (day/month/year) PCT/JP2005/006915 08.04.2005 08.04.2004 International Patent Classification (IPC) or both national classification and IPC Applicant DAIKIN INDUSTRIES, LTD. This opinion contains indications relating to the following items: Box No. I Basis of the opinion Box No. II Non-establishment of opinion with regard to novelty, inventive step and industrial applicability Box No. III Box No. IV Lack of unity of invention Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial Box No. V applicability; citations and explanations supporting such statement Box No. VI Certain documents cited Box No. VII Certain defects in the international application Box No. VIII Certain observations on the international application FURTHER ACTION If a demand for international preliminary examination is made, this opinion will be considered to be a written opinion of the International Preliminary Examining Authority ("IPEA") except that this does not apply where the applicant chooses an Authority other than this one to be the IPEA and the chosen IPEA has notified the International Bureau under Rule 66.1bis(b) that written opinions of this International Searching Authority will not be so considered. If this opinion is, as provided above, considered to be a written opinion of the IPEA, the applicant is invited to submit to the IPEA a written reply together, where appropriate, with amendments, before the expiration of 3 months from the date of mailing of Form PCI/ISA/220 or before the expiration of 22 months from the priority date, whichever expires later. For further options, see Form PCT/ISA/220. For further details, see notes to Form PCT/ISA/220. Name and mailing address of the ISA/JP Authorized officer

Telephone No.

Facsimile No.

International application No.

PCT/JP2005/006915

| Вох      | No. I     | Busis of this opinion  |
|----------|-----------|--|
| 1.       | With rega | ard to the lunguage, this opinion has been established on the basis of the international application in the language in which it was ess otherwise indicated under this item.  |
|          | Ты        | s opinion has been established on the basis of a translation from the original language into the following language  |
|          |           | , which is the language of a translation furnished for the purposes of international search (under   |
|          | Rul       | e 12.3 and 23.1(b)).   |
| 2.       | With reg  | ard to any nucleotide and/or amino acid sequence disclosed in the international application and necessary to the claimed, this opinion has been established on the basis of:   |
|          | a. typ    | e of material  |
|          |           | a sequence listing   |
|          |           | table(s) related to the sequence listing   |
|          | b. for    | nat of material  |
|          |           | in written format  |
|          |           | in computer readable form  |
|          | L         |  |
|          | c. tim    | c of filing/furnishing   |
|          |           | contained in the international application as filed.   |
|          |           | filed together with the international application in computer readable form.   |
|          |           | furnished subsequently to this Authority for the purposes of search.   |
| 3,       | furi      | addition, in the case that more than one version or copy of a sequence listing and/or table(s) relating thereto has been filed or nished, the required statements that the information in the subsequent or additional copies is identical to that in the application as d or does not go beyond the application as filed, as appropriate, were furnished. |
| 4.       | ∧ddition  | al comments:   |
|          |           |  |
|          |           |  |
|          |           |  |
|          |           |  |
|          | :         |  |
|          |           |  |
|          |           |  |
|          |           |  |
|          |           |  |
|          |           |  |
|          |           |  |
|          |           | $oldsymbol{\cdot}$   |
|          |           |  |
|          |           |  |
|          |           |  |
| <u> </u> |           |  |
|          |           |  |
| l        |           |  |

International application No.
PCT/JP2005/006915

| Box | No. V     | Reasoned stateme<br>citations and expla | nt under Ru<br>mations sur | ale 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability; apporting such statement |     |
|-----|-----------|---|----------------------------|--|-----|
| 1.  | Statement |   |                            |  |     |
|     | Novelty   | (N)                                     | Claims                     | 1-16   | YES |
|     |           |   | Claims                     |  | NO  |
|     | Inventive | step (IS)                               | Claims                     | 8-9  | YES |
|     |           |   | Claims                     | 1-7, 10-16   | NO. |
|     | Industria | l applicability (IA)                    | Claims                     | 1-16   | YES |
|     |           |   | Claims                     |  | NO  |
|     |           |   |                            |  |     |

#### 2. Citations and explanations:

Document 1: Microfilm of the specification and drawings annexed to the written request of Japanese Utility Model Application No. 62638/1990 (Laid-open No. 20923/1992) (Zexel Corporation), 21 February, 1992 (21.02.92), page 4, line 16 to page 11, line 19; Figs. 1-6

Document 2: JP, 4-22205, Y2 (Daikin Industries, Ltd.), 20 May, 1992 (20.05.92), column 3, line 40 to column 6, line 32, Figs. 1-4

#### Claims 1-6 and 10-13

#### Documents 1 and 2

Document 1 describes an air conditioner comprising a main body (3) having an outlet port (7) through which air blown into a room passes, a suction port (6) which is at least a part of said main body in a closed state, and a panel (8) covering said outlet port.

Since providing a flap at the outlet port is previously a well-known technical means (see document 2), a person skilled in the art could have easily conceived of providing a flap at the outlet port in the invention described in cited document 1.

The configuration in which a front panel covers the flap is essentially obtained by applying the aforementioned well-known technique to the invention described in document 1.

#### Claim 7

#### Documents 1 and 2

Forming a predetermined angle between the surface provided with an outlet port and the surface provided with a suction port is merely a matter of design variation that could be accordingly done according to a desired blowing direction.

Forming a predetermined angle between a first panel portion and a second panel section covering the surfaces, respectively, is also a matter that is essentially done together with the aforementioned matter of design variation.

#### Claims 14-16

#### Documents 1 and 2

Document 1 describes an air conditioner comprising a main body (3) having an outlet port (7) through which air blown into a room passes, and a panel (8) covering said main body and said outlet port.

Since providing a flap at the outlet port is a previously well-known technical means (see document 2), a person skilled in the art could have easily conceived of providing a flap at the outlet port in the invention described in cited document 1.

The configuration in which a front panel covers the flap is a configuration which is essentially obtained by applying the aforementioned well-known technique to the invention described in document 1.

International application No.
PCT/JP2005/006915

| Since the flap covers the entire outlet port in a closed state and the front panel covers at least the outlet port and the entire flap in a closed state and the flap covers at least the lower part of the outlet port in a closed state and the front panel covers at least the outlet port and one end of the flap in a closed state. |                                   |  |               |                     |                 |           |  |
|--|-----------------------------------|--|---------------|---------------------|-----------------|-----------|--|
| obvious  | The subject mass to a person skil |  | 8 and 9 are n | either described in | any of the docu | nents nor |  |
|  |                                   |  |               |                     |                 |           |  |
|  |                                   |  |               |                     |                 |           |  |
|  |                                   |  |               |                     |                 |           |  |
|  |                                   |  |               |                     |                 |           |  |
|  |                                   |  |               |                     |                 |           |  |
|  |                                   |  |               |                     |                 |           |  |
|  |                                   |  |               |                     |                 |           |  |
|  |                                   |  |               |                     |                 |           |  |
|  |                                   |  |               |                     |                 |           |  |
| ·  |                                   |  |               | •                   |                 |           |  |
|  |                                   |  |               |                     |                 |           |  |

## 特許協力条約

発信人 日本国特許庁 (国際調査機関)

REC'D 26 MAY 2005
WIPO PCT

| 代理人<br>小野      | 由已男            |       |             |     |
|----------------|----------------|-------|-------------|-----|
|                |                | •     |             | 様   |
| あて名            |                |       | •           |     |
| 〒530-0-<br>日本国 | 054<br>國大阪府大阪市 | 7北区南森 | ·<br>町1丁目4番 | 19号 |

サウスホレストビル 新樹グローバル・アイビー特

PCT 国際調査機関の見解費 (法施行規則第 40 条の 2) [PCT規則 43 の 2.1)

発送日 (日.月.年) 24. 5. 2005

 

 出願人又は代理人の書類記号
 DK-W0040209P
 今後の手続きについては、下記2を参照すること。

 国際出願番号 PCT/JP2005/006915
 国際出願日 (日.月.年) 08.04.2005
 優先日 (日.月.年) 08.04.2004

 国際特許分類 (IPC) Int.Cl. 7 F24F1/00

出願人 (氏名又は名称) ダイキン工業株式会社

許業務法人

| 1  | - | $\boldsymbol{\sigma}$ | =                                       | <b>解事け次の内容を会す。</b>                  |  |
|----|---|-----------------------|---|-------------------------------------|--|
| 1. | - | v                     | · • • • • • • • • • • • • • • • • • • • | ME 33 ( 1 / K / C ) DN 22 22 22 1 P |  |

▼ 第 I 欄 見解の基礎 .

第Ⅱ棚 優先権

「第Ⅲ欄 新規性、進歩性又は産業上の利用可能性についての見解の不作成

第IV概 発明の単一性の欠如

▼ 第V棚 PCT規則 43 の 2.1(a)(i)に規定する新規性、進歩性又は産業上の利用可能性についての見解、 それを裏付けるための文献及び説明

「 第VI欄 ある種の引用文献

- 第VI-- 網 国際出願の不備

第四個 国際出願に対する意見

## 2. 今後の手続き

国際予備審査の請求がされた場合は、出願人がこの国際調査機関とは異なる国際予備審査機関を選択し、かつ、その国際予備審査機関がPCT規 66.1 の 2(b)の規定に基づいて国際調査機関の見解告を国際予備審査機関の見解告とみなさない旨を国際事務局に通知していた場合を除いて、この見解書は国際予備審査機関の最初の見解告とみなされる。

この見解音が上記のように国際予備審査機関の見解書とみなされる場合、様式PCT/ISA/220を送付した日から3月又は優先日から22月のうちいずれか遅く満了する期限が経過するまでに、出願人は国際予備審査機関に、適当な場合は補正書とともに、答弁書を提出することができる。

さらなる選択肢は、様式PCT/ISA/220を参照すること。

3. さらなる詳細は、様式PCT/ISA/220の備考を参照すること。

| 見解否を作成した日<br>02.05.2005           |                               |       |      |
|-----------------------------------|-------------------------------|-------|------|
| 名称及びあて先<br>日本国特許庁 (ISA/JP)        | 特許庁審査官 (権限のある職員)              | 3 M   | 9825 |
| 郵便番号100-8915<br>東京都千代田区設が関三丁目4番3号 | 土田 嘉一<br>電話番号 03-3581-1101 内翁 | 3 3 3 | 7 7  |

様式PCT/ISA/237 (表紙) (2004年1月)

|  | 際調査          | 機関の見解替                                   | 国際出願番号 PCT/JP2006                      | 5/006915             |
|--|--------------|--|--|----------------------|
| 第1棚 見解の基礎                              |              |  |  |                      |
| ,                                      |              | す場合を除くほか、国際出願の言語を基                       | 一般として作成された。                            |                      |
| 「 この見解書は<br>それは国際調<br>·                |              |  | して作成した。<br>(b)にいう翻訳文の言語である。            |                      |
| 2. この国際出願で開<br>以下に基づき見解                | 示され;<br> 潜を作 | かつ間求の徳囲に係る発明に不可欠なヌ<br>或した。               | クレオチド又はアミノ酸配列に関して                      |                      |
| a. タイプ                                 | Γ            | 配列表                                      |  |                      |
|  | Γ            | 配列表に関連するテーブル                             |  |                      |
| b. フォーマット                              | Γ            | <b>掛面</b>                                | •                                      |                      |
| ٠                                      | Γ            | コンピュータ読み取り可能な形式                          | ·                                      |                      |
| c. 提出時期                                | Г            | 出願時の国際出願に含まれる                            |  |                      |
|  |              | この国際出願と共にコンピュータ読み                        | 取り可能な形式により提出された                        | ,                    |
|  | Γ            | 出願後に、調査のために、この国際部                        | 査機関に提出された                              | •                    |
| 3. <b>「</b> さらに、配列3<br>た配列が出願明<br>あった。 | を又は配<br>寺に提出 | 列表に関連するテーブルを提出した場<br>  した配列と同一である旨、又は、出願 | 合に、出願後に提出した配列若しくは<br>時の開示を超える事項を含まない旨の | :追加して提出し<br>)陳述書の提出が |
| 4. 補足意見:                               |              |  |  |                      |
|  |              |  |  |                      |
|  |              |  |  |                      |
|  |              |  |  | N.                   |
|  |              |  |  |                      |

| 第V相 | 図 新規性、進歩性又は産業上の<br>それを裏付る文献及び説明                           | 利用可能性          | こついてのPCT規則 43 の 2.1(a)(i)に定める見解、 |    |
|-----|---|----------------|----------------------------------|----|
| 1.  | 見解  |                |                                  |    |
| 親   | f規性(N)  | 請求の範囲<br>請求の範囲 |                                  | 有無 |
| 進   | と<br>と<br>生歩性(IS)<br>・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・ | 請求の範囲<br>請求の範囲 | 1 7 40 40                        | 有無 |
| 产   | 薬上の利用可能性(I A)   | 請求の範囲<br>請求の範囲 |                                  | 有無 |

#### 2. 文献及び説明

文献 1:日本国実用新案登録出願 2-62638 号(日本国実用新案登録出願公開 4-20923号)の願書に添付した明細書及び図面の内容を撮影したマイクロフィルム (株式会社ゼクセル) 1992.02.21 第4頁第16行-第11頁第19行,第1-6図

文献 2: JP 4-22205 Y2 (ダイキン工業株式会社) 1992.05.20 第3欄第40行-第6欄第32行,第1-4図

- ・請求の範囲 1-6、10-13
- ・文献 1-2 文献1には、

室内へと吹き出される空気が通る吹出口(7)を有する本体(3)と、閉状態において、閉状態において、前記本体の少なくとも一部である吸込口(6)と、前記吹出口とを覆うパネル(8)と、を備える空気調和機、が記載されている。

吹出し口にフラップを設けることは従来周知の技術手段であるから(文献2を参照)、引用文献1に記載の発明における吹出し口にフラップを設けることは、当業者ならば容易に想到し得ることである。

正面パネルがフラップを覆う構成は、文献1に記載の発明に上記周知技術を適用することにより、必然的に得られる構成である。

- ・請求の範囲 7
- ・文献等 1-2

吹出し口が設けられる面と吸込み口が設けられる面とに所定角度をなすことは、所望の吹出し方向に応じて適宜なし得る設計的事項にすぎない。

それぞれの面を覆う第1パネル部及び第2パネル部とに所定角度をなすことも、上 記設計的事項にあわせて必然的になされることである。

#### 補充欄

いずれかの棚の大きさが足りない場合

#### 第 V 棚の続き

- ・請求の範囲 14-16
- ・文献 1-2

文献1には、

室内へと吹き出される空気が通る吹出口(7)を有する本体(3)と、閉状態において、前記本体と、前記吹出口とを覆うパネル(8)と、を備える空気調和機、が記載されている。

吹出し口にフラップを設けることは従来周知の技術手段であるから(文献2を参照)、引用文献1に記載の発明における吹出し口にフラップを設けることは、当業者ならば容易に想到し得ることである。

正面パネルがフラップを覆う構成は、文献1に記載の発明に上記周知技術を適用することにより、必然的に得られる構成である。

その際、フラップは閉状態において吹出口全体を覆い、正面パネルは閉状態において少なくとも吹出口の及びフラップの全体を覆うことから、フラップは閉状態において少なくとも吹出口の下部を覆い、正面パネルは閉状態において少なくとも吹出口の上部及びフラップの一端を覆うものと認められる。

請求の範囲8-9に係る発明は、何れの文献にも記載されておらず、当業者にとって自明なものでもない。

## 特許協力条約

発信人 日本国特許庁 (国際調査機関)

REC'D 2 6 MAY 2005

| 代理人  |                        |  | ł              |          |      |  |
|--|------------------------|--|----------------|----------|------|--|
| 小野 由己男   |                        |  | . [            | WIPO     | PCT  |  |
| あて名<br>〒530-0054<br>日本国大阪府大阪市北区南森町1<br>サウスホレストビル 新樹グロー | 様<br>丁目 4 番 1 9 号      | PCT<br>国際調査機関の見解 <b>杏</b><br>(法施行規則第 40 条の 2)<br>【PCT規則 43 の 2, 1】 |                |          |      |  |
| <b></b>  | 777                    | 発送日<br>(日.月.年)   |                | 5. 2005  | · ·  |  |
| 出願人又は代理人<br>の書類配号 DK-W0040209P                         |                        | 今後の手続  | きについては         | 、下記2を参照す | ること。 |  |
| 国際出願番号<br>PCT/JP2005/006915                            | 国際出願日<br>(日,月.年) 08.04 | . 2005   | 優先日<br>(日.月.年) | 08.04.2  | 004  |  |
| 国際特許分類 (IPC) Int.Cl. 7F24F1/0                          | 00                     |  |                |          |      |  |
| 出願人 (氏名又は名称)<br>ダイキン工業株式会社                             |                        |  |                |          |      |  |
|  |                        |  |                |          |      |  |

1. この見解書は次の内容を含む。

▼ 第 Ⅰ 欄 見解の基礎・

第Ⅱ棚 優先権

「 第Ⅲ欄 新規性、進歩性又は産業上の利用可能性についての見解の不作成

第IV概 発明の単一性の欠如

▼ 第V棚 PCT規則43の2.1(a)(i)に規定する新規性、進歩性又は産業上の利用可能性についての見解、

・ それを娶付けるための文献及び説明

「 第VI欄 ある種の引用文献

**第WI欄 国際出願の不備** 

「 第WM 国際出願に対する意見

### 2. 今後の手続き

国際予備審査の請求がされた場合は、出願人がこの国際調査機関とは異なる国際予備審査機関を選択し、かつ、その国際予備審査機関がPCT規 66.1 の 2(b)の規定に基づいて国際調査機関の見解書を国際予備審査機関の見解書とみなさない旨を国際事務局に通知していた場合を除いて、この見解書は国際予備審査機関の最初の見解書とみなされる。

この見解書が上記のように国際予備審査機関の見解書とみなされる場合、様式PCT/ISA/220を送付した日から3月又は優先日から22月のうちいずれか遅く満了する期限が経過するまでに、出願人は国際予備審査機関に、適当な場合は補正書とともに、答弁書を提出することができる。

さらなる選択肢は、様式PCT/ISA/220を参照すること。

3. さらなる詳細は、様式PCT/ISA/220の備考を参照すること。

| 見解心を作成した日<br>02.05.2005           |                                    |    |      |  |  |
|-----------------------------------|------------------------------------|----|------|--|--|
| 名称及びあて先<br>日本国特許庁 (ISA/JP)        | 特許庁審査官(権限のある職員)                    | зм | 9825 |  |  |
| 郵便番号100-8915<br>東京都千代田区設が関三丁目4番3号 | 土田 嘉一<br>電話番号 03-3581-1101 内線 3377 |    |      |  |  |

様式PCT/ISA/237 (表紙) (2004年1月)

# 国際調査機関の見解書 国際出願番号 PCT/JP2005/006915 第 I 棚 見解の基礎 1. この見解書は、下記に示す場合を除くほか、国際出願の言語を基礎として作成された。 語による翻訳文を基礎として作成した。 それは国際調査のために提出されたPCT規則12.3及び23.1(b)にいう翻訳文の言語である。 2. この国際出願で開示されかつ請求の範囲に係る発明に不可欠なヌクレオチド又はアミノ酸配列に関して、 以下に基づき見解書を作成した。 a. タイプ 配列表 配列表に関連するテーブル b. フォーマット 斟面 コンピュータ読み取り可能な形式 c. 提出時期 出願時の国際出願に含まれる この国際出願と共にコンピュータ読み取り可能な形式により提出された 出願後に、調査のために、この国際調査機関に提出された 3. 「 さらに、配列表又は配列表に関連するテーブルを提出した場合に、出願後に提出した配列若しくは追加して提出し た配列が出願時に提出した配列と同一である旨、又は、出願時の開示を超える事項を含まない旨の陳述書の提出が あった。 4. 補足意見:

| 第V個 新規性、進歩性又は産業上の利用可能性についてのPCT規則 43 の 2.1(a)(i)に定める見解、<br>それを裏付る文献及び説明 |                |      |  |        |  |
|--|----------------|------|--|--------|--|
| 1. 見解  |                |      |  |        |  |
| ,<br>新規性 (N)   | 請求の範囲<br>請求の範囲 |      |  |        |  |
| 進歩性(IS)  | 請求の範囲<br>請求の範囲 |      |  | 有<br>無 |  |
| 産業上の利用可能性(IA)  | 請求の範囲<br>請求の範囲 | 1-16 |  |        |  |

#### 2. 文献及び説明

文献 1:日本国実用新案登録出願 2-62638 号(日本国実用新案登録出願公開 4-20923号)の願書に添付した明細書及び図面の内容を撮影したマイクロフィルム (株式会社ゼクセル) 1992.02.21 第4頁第16行-第11頁第19行.第1-6図

文献 2: JP 4-22205 Y2 (ダイキン工業株式会社) 1992.05.20 第3欄第40行-第6欄第32行,第1-4図

- ・請求の範囲 1-6、10-13
- ・文献 1-2文献1には、

室内へと吹き出される空気が通る吹出口(7)を有する本体(3)と、閉状態において、閉状態において、前記本体の少なくとも一部である吸込口(6)と、前記吹出口とを覆うパネル(8)と、を備える空気調和機、が記載されている。

吹出し口にフラップを設けることは従来周知の技術手段であるから(文献2を参照)、引用文献1に記載の発明における吹出し口にフラップを設けることは、当業者ならば容易に想到し得ることである。

正面パネルがフラップを覆う構成は、文献1に記載の発明に上記周知技術を適用することにより、必然的に得られる構成である。

- ・請求の範囲 7
- ・文献等 1-2

吹出し口が設けられる面と吸込み口が設けられる面とに所定角度をなすことは、所望の吹出し方向に応じて適宜なし得る設計的事項にすぎない。

それぞれの面を覆う第1パネル部及び第2パネル部とに所定角度をなすことも、上 記設計的事項にあわせて必然的になされることである。

#### 補充概

いずれかの棚の大きさが足りない場合

#### 第 V 棚の続き

- ・請求の範囲 14-16
- ・文献 1-2

文献1には、

室内へと吹き出される空気が通る吹出口(7)を有する本体(3)と、閉状態において、前記本体と、前記吹出口とを覆うパネル(8)と、を備える空気調和機、が記載されている。

吹出し口にフラップを設けることは従来周知の技術手段であるから(文献2を参照)、引用文献1に記載の発明における吹出し口にフラップを設けることは、当業者ならば容易に想到し得ることである。

正面パネルがフラップを覆う構成は、文献1に記載の発明に上記周知技術を適用することにより、必然的に得られる構成である。

その際、フラップは閉状態において吹出口全体を覆い、正面パネルは閉状態において少なくとも吹出口の及びフラップの全体を覆うことから、フラップは閉状態において少なくとも吹出口の下部を覆い、正面パネルは閉状態において少なくとも吹出口の上部及びフラップの一端を覆うものと認められる。

請求の範囲8-9に係る発明は、何れの文献にも記載されておらず、当業者にとって自明なものでもない。